

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5770	bourgeois-r\$.in. acharya-h\$.in. johnson-c\$.in. gudlavaletti-s\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:42
L2	36	("429"/\$.ccls. h1m008/\$.ipc.) and (bourgeois-r\$.in. acharya-h\$.in. johnson-c\$.in. gudlavaletti-s\$.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 08:44
L3	36	("429"/\$.ccls. h1m008/\$.ipc.) and (bourgeois-r\$.in. acharya-h\$.in. johnson-c\$.in. gudlavalleti-s\$.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:46
L4	528	429/12-46.ccls. and (cte mechanical adj stress tensile compression uniaxial biaxial stress adj inducer) and (solid adj oxide sofc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:49
L5	137	429/12-46.ccls. and (cte mechanical adj stress tensile compression uniaxial biaxial) with (stress inducer) and (solid adj oxide sofc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:57
L6	12214	429/12-46.ccls. not (solid adj oxide sofc)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 09:57
L7	137	429/12-46.ccls. and (cte.mechanical adj stress tensile compression uniaxial biaxial) with (stress inducer) not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:10
L8	306	429/12-46.ccls. and (cte mechanical adj stress tensile compression uniaxial biaxial stress adj inducer) same (electrode anode cathode separator brittle electrolyt\$3) not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 10:12

## EAST Search History

L9	188	429/12-46.ccls. and (cte mechanical adj stress tensile compression uniaxial biaxial stress adj inducer) with (electrode anode cathode separator brittle electrolyt\$3) not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:16
L10	32	("2914834"   "4364783"   "4395468"   "4414337"   "4431715"   "4490444"   "4562124"   "4631238"   "4728584"   "4748091"   "4751152"   "4791035"   "4833045"   "4874678"   "4876163"   "4888254"   "5034023"   "5045169"   "5103871"   "5108850"   "5112544"   "5114803"   "5158837"   "5227102"   "5258240"   "5273838"   "5429644"   "5786105"   "5993985"   "6217822").PN. OR ("6379485"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/20 11:12
L11	13	429/12-46.ccls. and stress adj induc\$4 same (electrode anode cathode separator brittle electrolyt\$3) not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:02
L12	18	429/12-46.ccls. and stress adj induc\$4 same (electrode anode cathode separator brittle electrolyt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:02
L13	5	12 not 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:04
L14	715	429/12-46.ccls. and (cte mechanical adj stress tensile compression uniaxial biaxial stress adj inducer) with (electrode anode cathode separator brittle electrolyt\$3) not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:16
L15	898	429/12-46.ccls. and (cte tensile tension compression uniaxial biaxial) with (electrode anode cathode separator brittle electrolyt\$3) not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:18

## EAST Search History

L16	58	429/12-46.ccls. and (induced mechanical pre adj4 formed) with (cte tensile tension compression uniaxial biaxial) with (electrode anode cathode separator brittle electrolyt\$3) not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:39
L17	7	429/12-46.ccls. and (induced pre adj4 formed) with (cte tensile tension compression uniaxial biaxial) with (electrode anode cathode separator brittle electrolyt\$3) not 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:07
L18	23	("20020039620" "4502931" "5238613" "5631099" "5635041" "5759712" "5879828" "6074692" "6248469" "6562446" "6869712").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:41
L19	322	h01m008/\$.ipc. and (uniaxial biaxial compression) and (electrode anode cathode electrolyt\$3 brittle)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:57
L20	2	h01m008/\$.ipc. and induced and (uniaxial biaxial compression) and (electrode anode cathode electrolyt\$3 brittle)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:56
L21	4	h01m008/\$.ipc. and (induced pre adj form\$3 exist\$3) and (uniaxial biaxial compression) and (electrode anode cathode electrolyt\$3 brittle)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 13:56
L22	11	h01m008/\$.ipc. and (uniaxial biaxial compression) and (electrode anode cathode electrolyt\$3 brittle) and (solid adj oxide sofc)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:02
L23	51	("3394032"   "3432353"   "3460991"   "3505114"   "3526548"   "3526549"   "3554808"   "3607427"   "3616334"   "4042483"   "4056452"   "4197362"   "4210512"   "4478918"   "4490444"   "4490445").PN. OR ("4721556").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/20 14:04
L24	3	429/12-46.ccls. and (reinforcement adj structure stress adj inducer) not 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/20 14:08